



Installation instructions
PG05 - engine and pipe guard
KTM/Husqvarna 250/300 2T 2020MY


ARTAFON.COM




REMOVE SCREWS FROM FRAME SOCKETS



PUT RIGHT REAR HANDLE



INSERT THE GUARD



IT IS RECOMMENDED TO
USE THREAD GLUE



GRIP SCREWS TO FRAME
SOCKETS

Installation instructions
PG05 - engine and pipe guard
KTM/Husqvarna 250/300 2T 2020MY

ARTAFON.COM



**GRIP SCREWS TO FRAME
 SOCKETS**



**TIGHTEN SCREWS
 SEVERAL ROTATION**



**DPRESS THE REAR PART
 OF THE GUARD TO THE
 FRAME**

**REPEAT UNTIL THE SCREWS IN THE
 FRAMES ARE REACHED**



**GRIP THE REAR RIGHT
 HANDLE SCREW**



**PUT THE LEFT HANDLE
 AND SCREW THE SCREW**



**TIGHTEN THE SCREWS OF
 THE REAR HANDLES**



PUT FRONT HANDLE



Installation instructions


PG05 - engine and pipe guard

KTM/Husqvarna 250/300 2T 2020MY

ARTAFON.COM



SCREW AND TIGHTEN THE FRONT HANDLE SCREWS



TIGHTEN ALL SCREWS AGAIN

READY!!